Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	@ad<"20020628" and (queu\$3 near4 (image picture data) near5 print\$3 near3 (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 10:58
L2	5	@ad<"20020628" and (print\$3 near2 (command instruction) near5 priority near3 over near5 (image picture data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:45
L3	10	@ad<"20020628" and ((print\$3 adj (command instruction)) near5 (image picture data) near5 queu\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:55
L4	13577	@ad<"20020628" and ((command instruction) near5 (associat\$3 identif\$4) near4 (image picture data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 14:13
L5	180	@ad<"20020628" and ((print\$3 near2 (command instruction)) near5 (associat\$3 identif\$4) near4 (image picture data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 16:47
L6	1	@ad<"20020628" and (((print\$3 near2 (command instruction)) near5 (associat\$3 identif\$4) near4 (image picture data)) same queu\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 11:56
L7	174	5 not toshiba	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/17 12:07
L8	8	7 and FIFO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 16:46

L9	41	@ad<"20020628" and ((command instruction) near5 (stop\$4 interrupt\$3) near4 (second near (image picture data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 14:03
L10	3	9 and (print\$3 near (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 13:40
L11	161	@ad<"20020628" and (complet\$3 near3 (image picture data) near5 start\$3 near5 (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 14:13
L12	106	@ad<"20020628" and (complet\$3 near3 (image picture data) near5 (start\$3 near2 (command instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 14:31
L13	42	12 and (print\$3 (image adj form\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 14:05
L14	281	4 and ((different multiple) near2 priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 14:13
L15	57	4 and (((different multiple) near2 priority) same (image picture data) same (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 14:14
L16	5	15 and ((transmi\$5 send\$3) with (print\$3 project\$3 form\$3)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 14:16

L17	7	15 and "345"/\$.ccls.	US-PGPUB;	OR	ON	2007/12/17 14:16
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L18	46	@ad<"20020628" and ((command instruction) near2 (associat\$3 relat\$3 identif\$4) near2 (image picture data) near5 priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 14:44
L19	0	@ad<"20020628" and ((command instruction) near2 (associat\$3 relat\$3 identif\$4) near2 (previous\$2 near (image picture data)) near5 priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 14:44
L20	26	7 and (FIFO queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 16:46
L21	18	20 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 16:46
L22	11	@ad<"20020628" and ((print\$3 near2 (command instruction)) near5 identif\$4 near4 (image picture data)) and (FIFO queue) not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/12/17 16:48
S2	34	@ad<"20020628" and (priority same transmi\$5 same (command instruction) same over same data).	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 10:30
S3	5	@ad<"20020628" and (priority same transmi\$5 same ((command instruction) with over with data with priority)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:35

S4	6	@ad<"20020628" and (priority same transmi\$5 same.((command instruction) with over with data with priority)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:40
S5	102	KOJIMA-KIYONOBU	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:39
S7	14	S5 and display.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:40
58	1	S7 and priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:40
S10	5	@ad<"20020628" and display.ti. and (priority same transmi\$5 same over same data).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:48
S11	115	@ad<"20020628" and (interrupt\$3 with (data near2 transmi\$5)) same (transmi\$5 with (command instruction) with ((priority near2 over) first (higher near2 priority)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:48
S16	4	@ad<"20020628" and (bluetooth same transmi\$5 same (facsimile printer)).ab.	US-PGPUB; USPAT	OR	ON	2006/02/15 15:48
S22	3	@ad<"20020628" and ((BIP (basic adj imaging adj profile)) and bluetooth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OŃ	2006/02/15 15:54
S24	84	@ad<"20020628" and (camera with bluetooth).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:58

S25	23	@ad<"20020628" and (camera with	US-PGPUB;	OR	ON	2006/02/15 16:10
323		bluetooth with printer).ab.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S27	2	S25 and display\$3.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:06
S28	217	IZUMI-MICHIHIRO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:08
S29	198	@ad<"20020628" and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:22
S32	28	@ad<"20020628" and (camera same bluetooth same display\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:17
S33	198	@ad<"20020628" and ((command instruction) with display\$3 with transmitted with image).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:26
S34	1	S33 and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:24
S35	169	@ad<"20020628" and ((command instruction) with display\$3 with ((transmitted received) near2 image)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:02

S40	154	@ad<"20020628" and (compar\$3 with (transmitted near2 (ratio quantity portion))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:59
S42	. 2	@ad<"20020628" and ((interrupt\$3 with transmi\$5) and (compar\$3 with (transmitted near2 (ratio quantity portion)))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:00
S44	76	@ad<"20020628" and (transmi\$5 with (command instruction) with display\$3 with ((transmitted received) near2 image)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/02/15 17:04
S45	1	S44 and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:04
S46	2	@ad<"20020628" and (compar\$3 with (transmitted near2 quantity) with threshold).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:33
S47	39	@ad<"20020628" and (compar\$3 with (transmitted near2 data) with threshold).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:25
S53	4	@ad<"20020628" and ((transmitted near2 percent\$3) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:30
S55	19	@ad<"20020628" and (interrupt\$3 and percent\$3 and threshold).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:34

S57	2	@ad<"20020628" and (interrupt\$3 and transmi\$5 and percent\$3 and threshold).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:34
S58	1	10/607235	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 17:06
S59	17723	((hold\$3 interrupt\$3 stop\$4) with (image picture) with (transfer transmission))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:11
S60	25582	((show display) near2 command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:51
S61	32	S59 same S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 12:51
S62	22	@ad<"20020628" and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:59
S63	13	((image picture) with (transfer transmission) with completed) same ((display show) near2 command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:12
S64	45	@ad<"20020628" and ((interrupt\$3 with transmission) same (command with priority))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:45

Page 7

S65	67115	@ad<"20020628" and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:47
S66	0		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:48
S67	641	S65 and (transmi\$5 with data with interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:48
S68	5	S67 and (transmi\$5 with (command instruction) with priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:50
S69	753	(transmi\$5 with (interrupt\$3 hold\$3 stop\$4) with (ID identification identifier)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:51
S70	86	(transmi\$5 with (interrupt\$3 hold\$3 stop\$4) with (ID identification identifier) with (different match\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:52
S71	6	(transmi\$5 with (interrupt\$3 hold\$3 stop\$4) with (ID identification identifier) with (different match\$3) with (command instruction)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 14:52
S72	126	@ad<"20020628" and 353/121.ccls.	1	OR !	ON	2007/02/01 14:59

			Ţ	,		
S73	1	10/975322	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/02 13:34
S74	8	(("20020071546") or ("20030169151") or ("6628194") or ("6650746")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/02 13:36
S75	799	(transmi\$5 with (command instruction) with after with complet\$3 with (data image picture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:38
S76	489	@ad<"20020628" and S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:54
S77	214	S76 and ((hold\$3 stop\$4 interrupt\$3) with transmi\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:42
S78	2	S77 and projector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:42
S79	76	@ad<"20020628" and (transmission same method same projector). bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/02 15:43
S80	2	S79 and (interrupt\$3 with transmi\$5)	US-PĢPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 13:56

S81	40304	@ad<"20020628" and "358"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:56
S82	560	S81 and (interrupt\$3 with transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:44
S83	50	S81 and ((interrupt\$3 with transmission) with command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:45
S84	7	S83 and (transmi\$5 with command with after with complet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:45
S85	36	S81 and (transmission with priority).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:56
S90	7	@ad<"20020628" and ("455"/\$ "370"/\$ "719"/\$ "710"/\$).ccls. and ((transmi\$5 near3 (image picture)) same (transmi\$5 near3 (instruction command) near5 after))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/28 17:49
S11 6	952	@ad<"20020628" and (FIFO with (Print\$3 spool\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:59
S11 7	11	S116 and ((command instruction) near3 (id identif\$4 identification) near3 (image data picture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:10

S11 8	1040	@ad<"20020628" and (FIFO with transmi\$5 with queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:56
S11 9	38	S118 and ((command instruction) near3 (id identif\$4 identification correspond\$3) near3 (image data picture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:39
S12 1	10	@ad<"20020628" and ((Print\$3 spool\$3) with command with (identification id) with correspond\$3 with (image data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:04
S12 2	0	@ad<"20020628" and (command with (identification id) with correspond\$3 with (transmitted near2 (image data)) same (print\$3 spool\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:14
S12 3	4	S116 and ((command instruction) near3 correspond\$3 near3 (image data picture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR :	ON	2007/07/02 17:10
S12 4	16	@ad<"20020628" and (((project print) near command) with identif\$4 with image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:28
S12 5	13	@ad<"20020628" and (((project\$3 print\$3 forming) near command) with (identif\$4 correspond\$3) with (transmitted near2 (image data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:41
S12 6	16	S119 and print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:39

S12 7	2337	@ad<"20020628" and (identif\$4 near5 (print\$3 near2 (image data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:51
S12 8	62	S127 and (FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:42
S12 9	22	@ad<"20020628" and ((print\$3 near2 command) near5 link\$3 near5 (image data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:54
S13 0	29	@ad<"20020628" and ((print\$3 near2 command) near5 defin\$3 near5 (image data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 17:55

12/17/2007 5:27:51 PM C:\Documents and Settings\zlu\My Documents\EAST\Workspaces\10607235.wsp